(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 26 May 2005 (26.05.2005)

(10) International Publication Number WO 2005/047351 A1

(51)	International Patent Classification7:
	4/651

C08F 110/06,

(21) International Application Number:

PCT/EP2004/011487

(22) International Filing Date: 13 October 2004 (13.10.2004)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: 03103995.1

28 October 2003 (28.10.2003) EP

60/515,914 29 October 2003 (29.10.2003)

(71) Applicant (for all designated States except US): BASELL POLIOLEFINE ITALIA S.P.A. [IT/IT]; Via Pergolesi, 25, I-20124 Milano (IT).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, HE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG. PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, 7.W.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

25, 1-20124 Milano (IT).

GW, ML, MR, NE, SN, TD, TG).

GW, ML, MR, NE, SN, TD, TG.

GW, ML, MR, NE, SR, TD, TC.

GW, ML, MR, NE, SR, TD, TC.

GW, ML, MR, NE, SR, TD, TC.

GW, ML, MR, NE, SR, TE, TC.

GW, ML, MR, NE, SR, TE, TC.

GW, ML, MR, NE, SR, TC.

GW, MC, MR, MC, SR, TC.

GW, ML, MR, NE, SR, TC.

GW, MC, MR, NE, SR, TC.

GW, MC, MR, MC, SR, thiophene dicarboxylate derivatives of a particular formula. Said catalyst components when used in the polymerization of olelins, and in particular of propylene, are capable to give polymers in high yields and with high isotactic index expressed in terms of high xylene insolubility.